

ALLEN LANE.

Beginning at the South Side of Grove Street, at the North West corner of James F. Patten's land, fifteen rods twenty two links from Front Street and runs South three degrees West thirteen rods twelve links to North Street to a point Nine rods twenty links West from Front Street, said lane to be twenty two feet wide on the West side of said lane.

Book A
Page 498

ACADEMY STREET.

Begins at a Stone M. on the West side of High Street and runs N 87 $\frac{1}{4}$ ¹⁰ W. 31 Rods 6 Links to a Stone M. on the East side of Lincoln Street. To be 2 $\frac{1}{2}$ Rods wide on the South Side of the above line.

Book A
Page 517

Beginning on the West Side of Lincoln Street twelve feet South of the old Crocker line so called--Thence Westerly parallel to said line sixty six rods and five links to a bolt in the ledge on the West side of a cross street reserved by John Tucker. Thence North twelve feet thence Westerly on the Old Crocker line eighteen rods and four links to Center Street.

Book B.
Page 128

Said Street to be forty five feet wide on the Northerly side of said line, for the first sixty six rods and five links and thirty three feet wide for the remaining Eighteen rods and four links.

ARCH STREET

Begins on the East side of Front Street, and runs S. 85⁰ 12' E. 10R. 22 L. to a stone M. passing one foot north of the N.W. corner of William Ledyard's building on Front Street.

Book A
Page 517

Said Street to be 27 feet wide on the North side of the above line N.B. Arch Street may be said to extend 2 rods easterly of the stone M. over Commercial Street.

ALLEN STREET

Is to be two rods wide the Westerly side of the following line: Beginning on the northerly side of Center Street, at the Southwest corner of S. W. Sandford's land at a Stone M. Thence North six degrees East to Academy Street, at a Stone M.

Vol. 3
Page 174

Location established Aug. 8th, 1862

ANCONA AVENUE

Beginning at a point on the east side of High Street, said point beginning 457.42' from the northwest corner of the intersection of Harward and High Streets, thence making an angle of 86⁰ 02' to the right with the east side of High Street and extending easterly 567.68', thence making an angle of 84⁰ 12' to the right and extending southerly 328.62' to the north side of Harward Street at a point 635.94' from the northwest corner of the intersection of High and Harward Street. Said Street to lie on the north and east of the above described line and to be 40.20' in width.

Book 26
Page 171
(10/30/63)

ASPEN LANE

Description in Street Drawer

10-7-87

BATH STREET

Beginning on the West Side of Washington Street, at a Stone Monument near the Southeast corner of land formerly belonging to the late Samuel O. Sloan, thence North Seventy eight Degrees West, to Middle Street at a Stone Monument-- Said Street to be Two Rods wide on the South Side of said course one Monument.

Book A.
Page 424

Beginning on the Easterly line of High Street at the North West corner of land of Samuel Merritt, thence running by said land, the same course continued as far as the West line of land of Freeman Clark said Street to be thirty feet wide on the northerly side of said line.

Aug. 1/66
Page 113

BATH STREET EXTENSION

Commencing at the Eastern end of Bath Street as now laid out at a stone foundation on land now occupied by James Morse, running Easterly in same direction as said foundation to Middle Street and said line to be the north line of said Street--Said Street to be Two Rods Wide.

Vol. 5
May 1, 1872

Commencing at the North West corner of Bath Street, thence running Westerly in a straight line to Middle Street, to be the same width as that now established. July 1/74.

Vol. 6
Page 74

BAILEY STREET

Beginning at a stake upon the North line of North Street at the South East corner of land of Charles L. Taylor, thence running N. 5^o E. by said Taylor's land and land of Alfred L. Tarbox, Two hundred and seventy one feet (271 ft.) to an iron fence rod at the South line of Tallman Street and the North East corner of the Tarbox Lot. Said Street to be Forty feet (40 Ft.) wide upon the easterly side of the above described line and to be named Bailey Street.

Vol. 11
Oct. 4th
1893
Page 176

BAY ROAD (So-called) *see pg 11

Beginning on the Westerly line of the ridge road as recently staked out and defined at a point; thence running North 48 degrees and 17 minutes West over land of Elmer Rich 943.5 feet to a point; thence North 64 degrees and 47 Minutes West; passing a point standing 23.30 feet distant Southwesterly from the Southwest corner of the dwelling house of said Elmer Rich, measuring on the Easterly range of house, also 32.7 feet distant Southwesterly from the Northwesterly corner of the barn attached to said dwelling house measuring on the Westerly range of said barn, 1286.0 feet to a point and passing over land of said Rich and land now or formerly of George W. Locke; Thence continuing over land of said Rooks North 66 Degrees and 53 Minutes West 308.6 feet to a point, and North 36 Degrees and 3 Minutes West 95.5 feet to a point, and North 58 Degrees and 28 minutes West 171.8 feet to a point, and North 51 Degrees and 24 minutes West 363.1 feet to a point standing about 19.0 feet easterly from an old well.

Vol. 18
Page 387
Aug. 4, 1926

The above described line to form the center line of a way to be 33.0 feet in width all angle points of which are defined by iron rods driven into the ground.

The center line of the way as above described follows nearly the center line of the road or way as it has formerly existed and been used, Total length of which is 3168.5 feet.

No damages claimed, non allowed.

BEACON STREET

Book B.
Page 126

Beginning on the West Side of Washington Street at a stake one Hundred and fifty two feet South of the Old Dummer Sewall North line Thence North Eighty seven degrees West forty five rods to the East line of Dummer Street to a stake.

Said Street to be forty feet wide on the North side of said Monuments and course.

BEACON STREET PART DISCONTINUED

Book B.
Page 296

So much of Beacon Street, beginning One hundred feet from Washington Street measuring on the North Line of said street and extending Westerly to a point two hundred fifty feet by said line from said Washington Street, and embracing the entire width of Beacon Street between these said point is discontinued.

BEACON STREET EXTENSION

Vol. 4
Page 23

Commencing at the South West Corner of Jeremiah Roeds land on High Street, thence running Easterly a course that will strike the North West corner of Beacon Street, as now laid out.

See Order of
May 1, 67.

The street to be forty feet wide South of said line.

BEACON STREET CONTINUED

Vol. 4
Page 325
Aug. 5, 1868

Beginning at the South West Corner of Jeremiah Norton's land thence easterly by said Norton South line to Washington Street. Said Street to be forty feet wide.

BEDFORD STREET

Order Aug. 1/66
Vol. 4
Page 469-72

Beginning at a bolt in the corner of the fence on the West side of High Street and on the North side of Bedford Street as it is now traveled, thence running westerly to a monument near the old Gun House, and continuing in a direct line to Lincoln Street.

Said Street to be fifty feet wide on the south side of said line.

Located Aug. 6th, 1864

Vol. 3
Page 472

Located and established of a uniform width of fifty feet for the whole length of the Street from Lincoln to High Streets.

See Order passed by Aldermen July 6th, 1870

BEDFORD ROAD

Vol. 21
Page 309
Mar. 1, 1939

Beginning at a point at the south west corner of Lincoln Street at its intersection with Bedford Road (so-called) and running due West 613 feet, the described line to form the southerly line of said street and to be fifty feet in width and formerly used as a street and to be known as Bedford Road.

No damages being claimed or allowed.

BENNETT STREET

Vol. 3
Page 547

Beginning on the West side of Washington Street at a Stone Monument near the House of John Bennett, deceased, thence westerly to a Stake on the east line of Middle Street, three feet south of the southwest corner of David Cornish's land; to be twenty seven feet wide on the south side of said line.

June 7th, 1865

BOWERY STREET

Begins on the East side of Washington Street at a stone M. at the N.W. corner of Samuel Swanton's land, and runs S 85 degrees 28' E. 9 R. 5 L. to a hole in the ledge- then (angle 44° 38') N. 49° 10' E. 20 R. 2 L. passing a stone M. at the North end of Front street to a stone M. thence (angle 2 degrees 33') N. 46 degrees 48' E. 6 R. 15 L. to a spike in N.W. side of an Oak tree at the N.W. corner of the Old Moody House; then (Angle 5 degrees 40') N. 40° 35' E. 12 R. 10 L. to the center of a small Pine tree. Then (Angle 17° 50') N. 22° 32' 4 R. 20 L. to a stone M. at the East side of a large Oak Tree--then (Angle 9° 12') N. 13° 10' E 14 Rods to a stone M. near the N.W. corner of John M. Moody's land, then (Angle 9° 16') N. 4° E. 15 Rods passing the center of a large White Oak tree near the South west corner of Charles Clapps land to a stone M. Then (angle 49° 40') N. 45° 5' W. 6 R. 18 L. to a hole in ledge marked X. Then (Angle 13° 40') N. 31° 30' W. 11 R. 3 L. to a stone M. 8 feet 8 inches Northerly of the Angle in Washington Street; also from opposite hole in ledge marked X. The South line runs North 34° 5' W to a hole in ledge on the West side of Washington St., 7 feet 2 inches northerly from the hole in ledge nearest the letter M. All the above street except on the last course to be 2 rods wide on the Northerly and Westerly side.

Book A
Page 514

BLASLAND LANE

Begins at a Stone M on the East side of Washington Street, and runs S. 80° 40' E. 15 R. 14 L. to the West line of Water Street as located this year; passing 2½ feet northerly of the N.W. corner of Widow Blasland's House, and in the direction to pass 2½ feet clear of the N.W. corner of Gilbert Trufant's Brick Store, to Water Street. Said Lane to be 20 (twenty) feet wide on the north side of the above line.

Book A
Page 521

*revised
3/23/66*

BRIDGE STREET

Beginning in said Town at a Bolt in the ledge on the South side of Winnegance Bridge at above high water mark, thence North 87 degrees W. 7 Rods 12 links to a stake, thence N. 6½ degrees, W. 3½ Rods to stake thence N. 28½ degrees W. 7 rods and 16 links to stake, thence N. 10 degrees W. 7 rods 4 links to a stake at Frances Oliver's, thence N. 30 degrees E. 10 Rods 23 links to a stake, thence N. 41½ E 14 rods to south east corner of Bates front wall fence, thence N. 98 degrees E 11 Rods and 2 links to a stake- thence N. 44½ E 23 rods & 19 links to a stake at Hunts gate- thence N. 35 degrees E 16 rods 21 links to south side of Stoners gate, thence N. 74 degrees E. 15 rods 17 links to a stake thence N. 31½ degrees E 35 rods 5 links to a stake two rodssouth of wall on east side of road. Thence N. 23½ degrees E. 8 rods 15 links to 20 links to a stake, thence N. 25 degrees E. 66 rods 20 links to north line of McCutcheon farm. Thence N. 17 degrees E. 18 rods to stake & stones. Thence N. 4 degrees E. 9 rods to stake and stones, thence N. 15 degrees E. 21 rods 13 links to stake and stones at the north line of said Town and two rods WestWall on the East side of said road. Said road to be two rods wide on the Northerly and Easterly side of said line and courser.

West Bath, Oct. 16th 1852 Nelson Ham, Town Clerk.

BRUCE STREET

Beginning at a point on the westerly side line of Washington Street, said point standing 95.9 feet southerly along said westerly line, from the northerly line of property of Walter Kennerson, thence making an angle of 89 degrees with said Washington Street line running north 79 degrees and 30 minutes west, a distance of 540 feet to a point. Said line passes 7.95 feet from the south east corner board of house of Walter Kennerson. At a distance 291.04 feet from Washington Street said line is 32.77 feet northerly from an old bolt set in a ledge. Said line is also 12.52 feet from the south west corner board of house owned by W.M. Condon. Said above described line is the northerly line of a 33 foot street previously reserved for this purpose.

Vol. 14
Page 373
Oct. 6, 1909

BROAD STREET

Book A
Page 518

Begins on the East side of Front Street, and runs S 80° 20' E. 13 R. 10 1/2 L. to West side of Commercial Street and same course 8 R. 24 L. to a bolt in the East side of the third timber step at the City Landing, and thence to the Kennebec River, passing 36 feet 6 inches, Northerly from the N.W. corner of Pierce's Block.

Said street to be 35 feet wide from Front to Commercial Street and 50 feet wide from thence to the river.

BRUNSWICK ROAD

Book A.
Page 511

Begins at the North Street 4 Rods Westerly from the East line of the Old Common and runs N. 33° W. at an angle with North Street of 53° 40' 69 R. 15 L. to the center of an Oak Stump, passing over a stone set in the ground at the west line of the Old Common.--Then (Angle 14° 5') W. 61 R. 7 L. to a hole in the ledge-- then (Angle 19° 31') N. 27° 30' W. 28 R. 13 L. to South side of a Maple tree-- Then (Angle 3° 20') N. 30° 45' W. 23 rods across the Mill Pond to a stone M. on the West side of the Road to Sewall's Mill.

Then (Angle 2° 50') N. 33° 30' W. 35 R. 7 L. to a stone M. at the East end of the Rail Road Guard fence. Thence (Angle 31° 50') N. 65° 30' W. 4 R. 7 L. by said fence to a stake. Then (Angle 4° 15') N. 69° 45' W. 14 R. 4 L. by said fence to a stake--then (Angle 5° 23') N. 75° 8' W. 36 R. 18 L. to a stone M.--then, now a stone Monument marked M. (Angle 4° 49') N. 79° 57' W. 25 R. 18 L. to a stone M. near West Whiskeag--Then (Angle 15° 42') N. 64° 15' W. 21 R. 9 L. across the stream to a stone M. near 3 small Beach trees.

Then (Angle 26° 50') N. 37° 25' W. 18 R. 14 L. across the Rail Road to a stone marked M.-- Then (Angle 32° 53') N. 70° 18' W. 5 R. 9 L. to a maple tree marked--then (Angle 15° 27') N. 85° 45' W. 55 R. 7 L. Across White's Meadow to a White Oak Tree marked--

Then (Angle 20° 4 3/4') N. 63° 41' W. 47 R. 6 L. to a Stone M.-- Then (Angle 23° 6') N. 40° 35' W. 149 R. 6 L. to a stump of a Cherry Tree, and same Course 50 rods more to stone M. Then (Angle 8° 35') N/ 49° W. 16 R. 8 L. to a spruce tree marked and the same course 20 Rods father to the channel of New Meadows River.

Said Road to be four rods wide on the Westerly and Southerly sides of the above line.

BLASLAND LANE

Book 26
Page 425
(3/23/66)

Portion thereof discontinued in accordance with petition and plan of Bath Iron Works Corporation.

BARQUE ROAD

Accepted
7/19/1978

See Plan on file in Street Drawer in City Clerk's Office

(To be presented in Board of Mayor and Aldermen.)

Bath, October 7th, 1925. 191

To the City Council:

The Committee on Joint Standing Committee on New Streets

To whom was referred the Petition of R. L. Palmer

and 20 others, praying presented to the City Council May 6th, 1925, requesting the acceptance of Bay Road so-called, which extends westerly from Ridge Road about thirty two hundred feet.

have attended to that duty and respectfully submit the following report:

That

Having posted notice at each end and in the vicinity of the preposed road, and at the Court House and City Hall in said City of Bath, seven days prior to said hearing and met at the time and place appointed, Thursday evening, at 7:30 o'clock P. M. July 16th, 1925, and having viewed the preposed Road prayed for and met and heard the persons interested., are of the opinion that the acceptance of this Road is not warranted at this time and recommend that the petitioners have leave to withdraw.

Respectfully submitted,

Joint Standing Committee
on
New Streets.

Nathan E. Coffin.
Fred W. Quimby
Wm. Longdon.
Oliver F. Blown

COMMON COUNCIL

OCT 7 1925

Report read and accepted
in concurrence.
Attest:
Elbridge R. Wright,
Clerk.

In Board of Aldermen.
OCT 7 1925

Report read and
accepted and recommendations adopted
and sent down for concurrence.
Attest: *John W. Siffmore*
City Clerk.