

DEERING STREET

Beginning at an iron bolt upon the southerly line of a contemplated Street called Washburn Street thence running north (40° 45' E.); thirty three feet to the north side of said Washburn Street and same course sixty four to the south line of land of G. G. Deering thence same course upon land of said Deering one hundred thirty two and one half feet (132½) to a stake thence making a deflection to the right of 24° 0' and running north 28° 55' E. one hundred and eleven feet (111ft.) to a fence upon the north line of said Deering's land. Said Street to be thirty feet wide upon the westerly side of the above described line.

Vol. 10  
Page 115  
Sept. 7, 1891

DEERING STREET EXTENSION

Beginning upon the easterly line of Deering Street and at the northerly line end of said street as established Sept. 7th, 1891, thence running North 28° 55' East about thirty two feet thence making a deflection of 19° to the West and running north 9° 55' E. by land of G. E. Deering and the westerly line of land of Kate Rice, about one hundred thirty eight feet to the south line of Bath Street, said line to the easterly line of said extension of Deering Street. The westerly line of said street to begin at the south line of Bath Street twenty five feet westerly from the east line, and thence running South 9° 55' by land of G. G. Deering parallel and the east line and twenty five distant therefrom, about one hundred twenty feet to an angle, thence South 28° 55' West about fifty six feet to the fence at the westerly side of Deering Street at its northerly end as established Sept. 7th, 1891. Said extension of Deering Street to Bath Street to be partly thirty feet wide and partly twenty five wide as shown in sketch.

Vol. 14  
Page 70  
Nov. 13, 1907

DRUMMOND STREET

Beginning at the Northeast corner of the wall on the premises of Francis Lighthody, thence running Southerly and westerly to holes drilled at the corner of land owned by Preble & Dunton; thence continuing in a direct line to a monument eight feet six inches south and east of the basement wall of the main building of C.H. Cowan's Store; thence continuing in a direct line to Washington Street.

Vol. 3  
Page 473

Said street to be forty feet wide on the Southerly and easterly side of said lines.

Located August 6th, 1864

DUMMER STREET

Begins on the North side of York Street at a stone M. and runs N. 6° 25' E. 55 Rods 23 L. to a stake.

To be 42 feet wide on the east side of the above line.

Book A  
Page 575

DUMMER STREET EXTENDED

Beginning at the North end of Dummer Street, on the West line running northerly on the same course of said street over land of William D. Sewall's To Charles Clapp's South line, -- said Street to continue the same width, say, forty two feet on the East of said line and course.

Book A.  
Page 527

DUMMER STREET COURT

Court opening to Edward Street.

Book 10  
Page 92

DRUMMOND STREET EXTENSION

Beginning at the northwest corner of Drummond Street as it now exists at a point which bears S 34° 40' W (Magnetic 1956) a distance of fifty-one (51) feet from a stone wall which is the northeast corner of the property now of John W. Bourque (formerly of Francis Lightbody) thence N 34° 40' E (Magnetic 1956) a distance of ninety-nine (99) feet to a point of curvature; thence to the left a distance of fourteen and seventy-three hundredths (14.73) feet measured along an arc of 56 degrees 15 minutes with a radius of fifteen (15) feet to a point of reverse curvature; thence to the right a distance of one hundred twenty-three and seven tenths (123.7) feet measured along an arc of 236 degrees 15 minutes with a radius of thirty (30) feet to a point of tangency; thence S 34° 40' W (Magnetic 1956) a distance of one hundred thirty-six and forty-two hundredths (136.42) feet to a point which is the northeast corner of Drummond Street as it now exists; thence N 55° 20' W (Magnetic 1956) a distance of forty (40) feet to the point of beginning.

Vol. 25  
Page 88

(May 13, 1957)

## EDGETT STREET.

Beginning at an iron pipe driven into the ground in or near the North line of Center Street; thence running N. 11 degrees and 29' E. over land of William F. Edgett 105.00 feet to a drill hole in ledge standing 56.36 feet distant northerly from the southeast corner of the dwelling house of said Edgett also 65.50 feet westerly from the northwest corner of house numbered 1 Edgett Street; thence continuing over land of said Edgett N. 16 degrees and 45 minutes East 396.85 feet to an iron bolt driven into the ground and to land now or formerly of S. F. Dike, said point standing 33.48 feet distant Westerly from the northwest corner of the house lot of John D. Bishop. The described line to form the westerly line of a street to be thirty-three feet in width and passing over land of William F. Edgett and Mrs. Elizabeth King, and to be known as Edgett Street.

City Record  
Book, 19  
Page 507  
Jan. 6, 1932

## EDWARD STREET.

Beginning on the West side of Washington Street at the South East corner of Elisha Walleth's land eighteen inches south of an Elm Tree at a stake; thence north Seventy degrees West fifteen rods and one link to a hole in the ledge; Thence north Eighty seven degrees West to a stake on the east side of Dummer Street; Said street to be thirty three feet wide on the South side of said courses and monuments.

Book A  
Page 115

## ELM STREET

Begins at a stone M. on the East side of Washington Street, and runs S. 87 degrees 20' E. 33 R. 6 L. to the West line of Front Street, which line produced, would pass one rod southerly from the S.W. corner of the Brick Store belonging to William M. Rogers. Said Street to be two rods wide on the North side of the above line.

Book A.  
Page 517

*Dec 1852*

## ELSINORE AVENUE

Beginning upon the northerly side of Western Avenue at the southwest corner of Lot No. 1 of the Elsinore Real Estate Co., four hundred and ninety nine (499) feet to a stake upon the south line of cross Street, so called, the above described line to be the east line of said street, and the street to be 33 feet wide, said street to be called Elsinore Avenue. Then beginning at a stake upon the easterly side of Elsinore Avenue and running easterly one hundred and sixty-five (165) feet to a stake upon the west side of Cottage Street. This to be the South line of Cross Street,; street to be 30 feet wide.

Vol. 13  
Page 217-14

EDWARD STREET COURT.

Beginning on the north side of Edward Street, at the southeast corner of Donald and Lorraine Cromwell's land, one hundred and eighty-six (186) feet east from the east line of Dummer Street; and running north thirteen (13) degrees forty-five (45) minutes east, one hundred and thirty (130) feet and ten (10) inches; said court to be twenty (20) feet wide from the west side of said court.

Vol. 23.  
Pages 441-442  
(June 21st,  
1949)

FARRIN STREET

Beginning on the South side of Western Avenue at a Stone Monument near the North West corner of Solomon Higgins land; thence running Southerly to the North side of Richardson Street, at the south west corner of land of James Pattee; said line to be the easterly side of said New Street, which is to be two rods wide westerly of said line and running over land originally reserved for a street.

Book B.  
Page 431

FARRIN STREET

Beginning at an iron pipe driven into the ground in the South line of Richardson Street standing 8.30 feet distant northwesterly from the northwest corner of W.P.Kingsbury's Store No. 40; also 38.33 feet easterly from the northeast corner of house numbered 42 Richardson Street; thence running S. 11 degrees and 30 minutes west 145.95 feet to an iron pipe driven into the ground and to land of Peter E. Reno. The last described point standing 31.63 feet distant southerly from the foundation of the southwest corner of house No. 7 Farrin St., also 9.00 westerly from the northwest corner of the brickhouse owned by Peter E. Reno Numbered 1 Farrin St., and the described line to form the Easterly line of a street to be thirty feet in width and laying over land formerly reserved and used as a street and to be known as Farrin Street.

City Record  
Book 19  
Page 507  
Jan. 6, 1932

FEDERAL STREET ✓

Begins at a stone M. on the East side of Washington Street and runs S. 86 degrees 48' E. 17 R. 12 L. by land of William Heath to the West side of Water Street with which it makes an angle of 88° 22' -- Said street to be two rods wide on the South side of the above line. N.B. The West line of Water Street referred to above, is the line located this year, running one course from South St., Southerly.

Book A.  
Page 520

*Portia Rescriptum 3/23/66*

FERRY STREET

Bounded on the South side by a line extending eastward from Front Street through a point nine inches north of the North West corner of the brick block of William M. Rogers and a point twenty inches north of the North East corner of the same block to Commercial Street. The street to be thirty two and one half feet wide on the North side of said line. Located October 14th, 1863.

Vol. 3  
Page 393

*Continuation by P. Anderson 4-5-2017*

*Continued 1968*

FITTS STREET ✓

Beginning on the Northerly side line of North Street at a stake standing at the south east corner of house lot owned by Martin B. Doyle; thence running about North 3 1/4 degrees East 271.25 feet passing 12.94 feet distant Easterly from the North Easterly corner board of house numbered 18 to a stake standing on the Southerly line of Tallman Street as recently laid out. Thence same course North 3 1/4 degrees East 40.0 feet to a stake standing on the Northerly side line of said Tallman Street. Thence same course North 3 1/4 degrees East 216.35 feet to a stake and to land formerly owned by Kimball now owned by Isaac H. Rideout. Said Street to be 30 feet in width and extending Easterly from the above described line.

Vol. 16  
Page 402  
May 2, 1917

FLORAL STREET

Vol. 7  
Page 151  
Feb. 2, 1881

Commencing at a bolt in the ledge at the joint where Roxanna Mitchell's North East corner bounds strikes Center Street thence Southerly by the East line of said Roxanna Mitchell's land six rods. John Lakin's East line four rods. Joseph Pepper's East line seven rods. Antonio Plant's East line three rods. John C. Wakefield East line three Rods. Clifford Belanger East line five rods.

Crossing a private way between Belanger's and Biffen's land thirty feet wide thence same course four rods on East line of R. D. Biffen's land to land of Joshua P. Emmons.

Said Street to be thirty eight feet wide and to be East of said line.

FLORAL STREET EXTENSION

Vol. 14  
Pge. 35  
June 5, 1907

Beginning at the North west corner of Joseph Varnums land thence running North 85 degrees West by land of Roland F. Pero, 61 feet to said Pero's north west corner; thence south 25 degrees west by said Pero's westerly line two hundred and ten feet to said Pero's south west corner; thence south four degrees, west by land of the Emmons Estate Two hundred and seventy six feet (276 ft.) to the North West corner of the land of John O. Anderson, thence South ten degrees, 30 M. West by land of said Anderson about (330) three hundred and thirty feet to said Andersons South west corner upon the North Westerly side of Court Street. The before mentioned lines to be southerly and easterly sides of Floral Street Extension, and the Street to be thirty three feet wide northerly and westerly of the above described lines, and to extend from the present end of Floral Street in front of Joseph Varnum's store to the North westerly side of Court Street easterly of the residence of Fred Burgess.

FREMONT STREET

Book A  
Page 521

Begins on the East side of Washington Street at a stone M. and runs S. 86° 20' E. 17 R. 22 L. to a bolt in ledge, and same course 4 R. 17 L. more to West line of Front Street; Passing a hole in ledge which is 3 feet westerly of said line.

Said lane to be 1 (one) rod wide on the South side of the above line.

FRANKLIN STREET

Book A  
Page 519

Begins at a Stone M. at the South side of School Street, and runs S. 7¼° W. 16 R. 17 L. to a stone M. at the North line of Granite Street-- Said Street to be two rods wide on the East side of the above line.

FRONT STREET

Book A  
Page 506

Begins at the South side of an Oak tree, which stands at the South West corner of King's garden; thence on a line passing the center of said tree N. 4° 30' E. 11 R. 2 L. to a point 38 feet North-easterly from the brick underpinning of Davis Hatch's one story yellow house-- thence (Angle 11° 50') N. 7° 15' W. 13 R. 12½ Links to a point to be designated by a Stone set in the ground--to be two rods wide on the Westerly side of the above line. Then begins at the North side of Center Street 8 feet easterly of the S. E. Corner of the Sagadahoc House, and runs N. 14° 40' E. 18 R. to a bolt at the N.E. corner of John Hayden's land--then west 2 feet 8 inches then at an angle with the first line of 7° 48' N. 5° 42' E. 38 R. 3½ L. to South side of Summer St., one foot north of Brick wall, and 44 feet westerly from N.W. corner of McLellan's South Store.

Then begining at the North side of Summer Street at a Stone M. 36 feet 5 inches westerly from McLellan's North Store and runs N. 5° E. 18 Rods through the western bolt at the N.E. corner of William Torrey's land to a stone M.

Then (angle  $3^{\circ} 41'$ ) N.  $7^{\circ} 35'$  E. 6 R.  $12\frac{1}{2}$  L. to a bolt under the sidewalk, 35 feet from N.W. Corner of Brick Store--then (angle  $24^{\circ} 30'$ ) N.  $32^{\circ} 40'$  E. 12 R. 2 L. to a stone M. near the S. E. Corner to Mrs. Stewart's land. Then (Angle  $4^{\circ} 30'$ ) N.  $28^{\circ} 30'$  E. 46 R. 18 L. to a stone M. at the North side of North Street. Then (Angle  $0^{\circ} 41'$ ) N.  $28^{\circ}$  E 16 R. 17 L. to a Stone M. at the North side of Grove Street--then (Angle  $14^{\circ} 45'$ ) N.  $12^{\circ} 45'$  E. 8 R. 1 L. to a Stone M.--then (Angle  $2^{\circ} 4'$ ) N.  $10^{\circ} 40'$  E. 27 R. 18 Links to a stone M. at the North side of Pearl Street--Then (Angle  $2^{\circ} 32'$ ) N.  $8^{\circ}$  E. 18 R. 18 L. to a Stone M. at the South side of Cedar Street, and same course 16 feet further--Then (Angle  $16^{\circ} 2'$ ) N.  $24^{\circ} 5'$  E. 18 feet 8 inches to a stone M. at the North side of Cedar Street, and same course 45 R. 15 L. near to a stone M. at the East line of Bowery Street, making an angle there with of  $34^{\circ} 40'$ , said street to be 2 rods wide on the Easterly side of the above line, and the East line is continued Northerly until it strikes the east line of Bowery Street, also, the east line from North Street to the angle at Mrs. Stewart's is continued Southerly until it again strikes the east line of Front Street, N.B. The East line of Front Street from W. Hyde's to Summer Street is as follows;; Beginning on the old line two rods easterly from the bolt at Hayden's North east corner one runs N.  $8^{\circ} 55'$  E. 20 R. 8 L. to a point 4 feet westerly from the S. W. corner of William M. Rogers Brick Store, and opposite the Middle line of Elm Street-- Then (Angle  $3^{\circ} 25'$ ) North  $5^{\circ} 30'$  E. 17 R. 11 L. to a point two feet west of the N. W. Corner of McLellan's South Store.)

Book A.  
Page 506

At the South corner of Front and North Streets, the West line of Front Street begins 25 feet westerly of the line described above, on the South side of North Street and runs southerly at right angles with North Street until it meets the West line of Front Street as above described.

#### FRONT STREET-- EAST LINE CORRECTED.

Beginning on the East side of Front Street, opposite to the bolt at the North East corner of land belonging to John Hayden and thirty three feet distant there from, thence North thirteen and a half degrees East six rods and eighteen links to a bolt in the ledge near the North line of Arch Street and forty nine feet ten inches from the North East corner of the Elliot House Building--thence North five and a third degrees East, fourteen rods and two links to the point four feet Westerly from the South west corner of William M. Roger's Brick Store. Said line to be the Eastern line of that part of Front Street being the same line which was established by the survey and relocation of the year one thousand eight hundred and thirty eight.

Book A  
Page 578

#### FRONT STREET NEW LOCATION AND EXTENSION

The West line begins at the South side of Center Street, and West side of Front Street and runs Southerly 9 rods, 17 links to a stone set in the ground marked M. which is two feet west of the present line at that point; thence southerly to the south side of Vine Street to a stone marked M., which is seven feet East from the point that the present line would strike if continued; thence southerly at right angles with Vine Street to the South side of the land of the Kennebec and Portland Railroad Company.

Book A.  
Page 579

The East line begins at the south side of Devenport's Lane fifty three feet Easterly from the West line of Front Street and runs Southerly to a point opposite to, and forty feet from the stone marked M. first mentioned above; thence parallel to, forty feet from the West line above described to the South side of the Railroad Land.

## FRONT STREET PART DISCONTINUED

Book B  
Page 271

Beginning on the Easterly side of said Street as run out by a committee of City Council June 26th, 1853 and at the South side of Davenport's Lane, twenty feet east from the easterly side of said Front Street as it was previous to said June 26th, 1853--thence running southerly by said line, run by Committee, to the South line of the lot of said Hyde & Page--discontinuing all of said street between the line now described and the original easterly line of said Street so far as it runs over the land of Charles Davenport and said Hyde & Page.

## FRONT STREET

Vol. 3  
Page 404

Commencing on the East line of Front Street at the Northwest corner of Bank block building, and running northerly with the line of said street in front of said building, to the south side of davenport Lane, so called, thence northerly to a point at the South end of Kelley's Block of Buildings, ten feet from the southwest corner of said Kelley's buildings running Easterly by said buildings.  
Located December 2nd, 1863.

The above location of Front Street was discontinued Aug. 1, 1866.

## FRONT STREET WIDENED

Vol. 6  
Page 89

Beginning at a bolt three feet east from the North East corner of Church Block, so called, thence running in a straight southerly course to the North East corner of a well on land lately owned by Davis Hatch, continuing on said course to intersect with old location of Front Street at a point sixty six and one fourth feet north from the South side of a monument at the South west corner of Front and Vine Streets.

Sept. 30/74

## FRONT STREET

Vol. 6  
Page 300  
Feb. 14, 1877

Beginning at the point on the North line of Post Office Avenue in range with the west line of Bank Block and point being about one and one half feet easterly from the East line of Front Street, thence running Northerly on said West line corner of said block, the same course continued to Davenport's Lane so called, striking the South line of said Lane of Twenty feet width at a point at or about eighteen feet easterly from the east line of Front Street; passing over land about eighty feet in length of Oliver Moses, also over land of the heirs of the late Joshua Page and Edwin Reed; also over land about thirty feet in length of Charles Davenport.

## FRONT STREET

Vol. H.  
Page 115  
Aug. 28, 1884

Beginning on the East side of said street on land of Charles F. Dunning at George H. W. Barton's North west corner bound; thence running northerly about three hundred and fifty feet over land of said Dunning, McLellan's, Houghton's, Richardson, Dunton, and all owners unknown to all intersection with the East line of Front Street, at a point near the junction of the North line of Linden Street if extended.

Corrected location of East line of Front Street to be substituted for the one above given.

FRONT STREET

Beginning at a bolt near the N. W. corner of G. H. W. Barton's land and distant north from the N. W. corner of Brick Store opposite Summer Street Ninety four feet two inches (94' 2") thence N. 8° E. (Angle 2°) 89' 6" eighty nine feet six inches to a Monument which is three feet four inches (3' 4") easterly from the present line of Front Street; thence N. 16° E. (Angle 7° 49') two hundred twenty-nine feet nine inches (229' 9") to an intersection with the East line of Front Street and marked by a bolt in the wall.

Vcl.H  
Page 115

*Forest Rd.  
10/2/63*

TO: THE CITY COUNCIL OF THE CITY OF BATH, MAINE:

We, the undersigned, members of the City Council, upon the petition of Philip Leavitt, et als., to lay out and establish a public street in the City of Bath (Forest Road), and having given seven days notice of intention to lay out and establish said public street as described in order of notice duly prescribed by law by posting notices in two public places, in said City of Bath, and one in the vicinity of the proposed public street, to wit: one at the City Hall, one at the Court House and one in the vicinity of the proposed public street on September 23, 1963, and having met at the time and place appointed, Forest Road at 6:50 P.M. on Wednesday, October 2, 1963, for the purpose and having personally examined the proposed street, and no abutting property owners objecting, are of the opinion that there is need for a new extension of this street for the use of said City of Bath as proposed, and find that said proposed extension is of common convenience and public necessity and lay out the said extension as follows:

*Account  
Discontinued  
9-29-76  
Special Town Meeting  
Vol. 26  
Pg. 167*

Beginning at a monument on the north side of Centre Street, said point being located 73'-4" from the northeast corner and 75'-9" from the northwest corner of the apartment house located on Lot #23 on the plan of Hyde Park as surveyed by New England Service, Inc., of Boston, Mass. Thence extended North 41° 21', E 505', to a bolt in Center Line of a stone wall of one Virginia Bailey. Said street to be 40' in width and to lie on the easterly side of the above described line.

FEDERAL STREET

TO THE HONORABLE CITY COUNCIL CITY OF BATH, MAINE

Respectfully Represents, the Bath Iron Works Corporation, a duly organized and existing corporation under the laws of the State of Maine, having its principal place of business at Bath, County of Sagadahoc and State of Maine, being a taxpayer in the City of Bath;

That a portion of said Federal Street, which was laid out December 1, 1852, to which reference may be had to Book A. Page 520 of the City Clerk's records of the City Clerk's records of the City Streets of the City of Bath, Maine, be discontinued as shown on the attached plan where indicated, which plan is incorporated into and made a part of this petition;

Book 26  
Page  
August 4, 1963

And That the portion of said Federal Street is forty-five feet, six inches (45' 6 ") westerly from what was formerly the westerly line of Water Street ( which is now discontinued) and maintaining a width of thirty-three feet, one inch (33' 1"), for the reason that the Bath Iron Works Corporation desires to fence off that



portion of said Federal Street in order that it may include it within its abutting properties on the North, South and East, for security and safety reasons;

Federal Street  
Page  
Book 26  
8/4/65

Book 26  
Page 425  
(3/23/66)

FEDERAL STREET

Portion thereof discontinued in accordance with petition and plan of Bath Iron Works Corporation.

*Discontinued  
reverted  
10/5/66*

GODDARD STREET

From Marshall Street to Gatchell Street.

Layout of June 5, 1901.

City Records, Book 12, Pages 368 and 369.

"The J. S. Com. on New Streets to whom was referred the petition for a new Street to be called Goddard Street...have examined deeds and boundary lines of property on said contemplated Street and would recommend that a Street forty feet (40) wide be laid out from Marshal Street to Gatchell Street in accordance with the deeds and lines already bounding said contemplated Street, and when amicably agreed upon that the said Street shall be accepted as a new Street to be known as Goddard Street and recorded..."

The contemplated Street has been used in its present condition for 20 years or more..."

Accepted October 2, 1901.

City Records, Book 12, Page 402.

"That Goddard Street be accepted according to the bounds given and that the sum of \$50.00 be expended on said Street."

## GARDEN STREET

Begins at a Stone M. on the North side of Oak Street and runs N.  $15^{\circ} 28'$  E. 20 R. 13 L. to a stone M.--then (Angle  $83^{\circ} 42'$ ) S.  $80^{\circ} 50'$  E. 13 R. 23 L. to the West Side of Washington Street to a Stone M.

Book A.  
Page 516

Said street to be 2 rods wide on the Easterly and Southerly sides of the above line.

## GATCHELL STREET

So much of Catchell St., as is between Washington and Middle Sts., to be discontinued.

Vol. 4  
Page 39  
June 6/66

## GATCHELL STREET

Commencing on the West side of Washington Street, at a stake standing fifty nine feet from the South East corner of Arnold & Co's Store lot so-called, thence westerly to a stake standing two feet north of the North East corner of William Gatchell's dwelling house to High Street. The Street to be forty feet wide, North of said line.

Vol. 4  
Page 4

Sept. 6th, 1865

See order  
May 1, 67.

## GATCHELL STREET

Beginning on the East side of Middle Street at the North West corner of Land owned by A. G. Page then easterly to a stake on the West side of Washington Street forty five feet South of Arnold & Co's Store so called. The said line and course to be the South side of said Street. The Street is to be forty feet wide.

Vol. 4  
Page 214

Bath, August 7th, 1867

## GRANITE STREET

A Street from High Street running East by Eliphalet Mitchell House. Beginning on the East side of High Street at a hole in the rock marked H. thence East 55 rods to the West line of William V. and Oliver Moses land, said street being two and a half rods wide on the South side of said line and course.

## GRANITE STREET

Begins at a hole in ledge on the East side of High Street and runs S.  $87^{\circ} \frac{1}{2}$  E. 34 R. 11 L. to a Stone M. at the West side of Middle Street, then (Angle  $1^{\circ} 52'$ ) 14 R. 20 L. to the Eastside of Franklin Street and same course 5 R. 10 L. More.

Book A  
Page 513

Said Street to be Forty feet wide from High to Middle Street and 35 feet wide from Middle Street to the East end.

## GREEN STREET

Begins at a Stone M. on the West side of High Street and runs N.  $73^{\circ} \frac{1}{4}$  W. 6 Rods to a stone M., then (Angle  $7^{\circ}$ ) N.  $73^{\circ} \frac{3}{4}$  W. 12 rods to a stone M. then (Angle  $6^{\circ} 35'$ ) N.  $86^{\circ} 38'$  W. 57 R. 3 L. to a stone M. on the east side of Lincoln Street. Said street to be 40 feet on the South side of the above line.

Book A.  
Page 510

GRANITE STREETDiscontinuance - part of

Resolution by City Council on March 5, 1975 - That portion of Granite Street lying easterly of the east sideline of Franklin Street be abandoned, and that said portion be Quit Claim deeded to the United States Postal Service.

## GROVE STREET

Book A.  
Page 515

Begins on the West side of Front Street 19 inches southerly from a hole in the ledge marked M. 1838, and runs N.  $85\frac{1}{2}^{\circ}$  W. 25 R. 20 L. to a stone M. at the East side of Washington Street.

Said Street to be 2 rods wide on the North side of the above line.

GEROLD STREET

Book 24  
Page 374  
(7/7/54)

Starting at an iron pin in the northerly line of North Street, which pin is the southwest corner of property of Harold Carter, the southeast corner of property of Clara Howe, thence running north 10° 15' east along property of Harold Carter, Clara Howe, William Koderick and heirs, and Ethel Koderick for 410.0 feet to a point of tangency; thence, deflecting right  $66^{\circ} 23'$  on an arc 17.4 feet long with a radius of 15 feet to a point of reverse curvature; thence, deflecting left  $246^{\circ} 23'$  around an arc of 129.0 feet on a radius of 30 feet to a point of tangency; thence running south  $10^{\circ} 15'$  west for 451.2 feet on a line parallel to and 33.0 feet westerly from the aforementioned 410.1 foot dimension, to a point in the northerly line of North Street; thence running easterly along the northerly line of North Street to the point of beginning. This described street is 33 feet in width with a turn around of a 30 foot radius at the northern extremity.

GODDARD STREET

GODDARD STREET  
June 5, 1901

The Joint Standing Committee on new streets to whom was referred the petition for a new street to be called "Goddard Street" have performed their duties in conformity to the law, and have examined deeds and boundary lines of property situated on said street and would recommend that a street Forty Feet (40) wide be laid out from Marshall Street to Getchell Street in accordance with the deeds and lines already bounding said street and when amicably agreed upon that the street shall be accepted as a new street to be known as Goddard Street and recorded. No damages claimed or remonstrance made at the legally advertised hearing.

This street has been used in its present condition for 20 years or more. There are 4 houses built and occupied and 4 more to be built on acceptance. Report read and accepted and recommendations adopted in concurrence. \* See pg 47

GRAFFAM WAY

GRAFFAM WAY  
Oct. 5, 1988

Warranty Deed in Drawer