

SHEPHARD STREET

Begins at a Stone M. on the West side of Washington Street, and runs N. $76\frac{1}{2}^{\circ}$ W. 28 R. 20 L. to a stone M. on the East side of Middle Street.-- Note:--The North lines of Lord and Shephard Streets intersect at the West side of Washington Street, at an angle of $1^{\circ} 50'$ from a straight line--Said Street to be two rods wide on the south side of the above line.

Book A
Page 519

SHAW STREET

Beginning 200 feet northerly from a iron bolt at the corner of Pine and Middle Streets, thence running S. 84° E. 454.4 feet to a stake on the westerly line of Washington Street 186 feet northerly from the north side of Pine Street. Said street to be 26 feet wide on the northerly side of the above described line.

Vol. 10
May 6, 1881
Page 48

SCHOOL STREET

Begins at a Stone M. on the West side of Washington Street, and runs S. $84\frac{3}{4}^{\circ}$ W. 26 R. 4 L. to a stone M. on the East line of Middle Street. Said street to be two rods wide on the South side of the above line.

Book A
Page 518

SOUTH STREET

Begins at a stone M. on the East side of High Street; thence S. $76^{\circ} 25'$ E. 34 rods 20 L. to a stone M. on the east side of Middle Street; then same course 31 rods 21 links to the S. W. corner of the Couilliard House on the east line of Washington Street; then same course 14 rods, 13 links to a hole in ledge on the west line of Front (Water) Street--to be $2\frac{1}{2}$ rods wide on the south side of the above line.

Book A
Page 510

SNOW PARK

Beginning upon the northerly line of Center Street at a point fifty one feet easterly from the land of Charles E. Curtis, thence running north thirteen degrees east one hundred and sixty nine feet thence deflecting six degrees fifteen minutes and running north six degrees and forty-five minutes east three hundred and eighty feet to the south line of Academy Street. Said street to be thirty three feet wide upon the easterly side of the above described line.

Vol. 16
Page 3 1 2
Nov. 1, 1916

SPRING STREET

Beginning on the West side of Washington Street at a point, three feet ten inches southerly from the south east corner of the old Foundry building, thence north eighty-seven and one half degrees west by compass to a stake on the west side of Middle Street, passing the South West corner of the under pinning of the Iron Fence in front of Willard Hall's House, and continuing the course north eighty-seven and one half degrees west by compass to High Street., to a point forty feet northerly of the south west corner of the Waldron heirs land, said Street to be forty feet wide on the South of the above line and course, and running over Jewell's Lane so-called, and land of Waldron's heirs and others.

Book A
Page 487

112

SPRING STREET

It is recommended that three feet three inches on the southerly side of the above street from Washington to Middle Street be discontinued making Spring Street 36 feet 9 inches wide on the southerly side of the north line of said street.

Vol. 10
Page 477
Nov. 1, 1893

SPRING STREET EXTENSION

Beginning at the Iron Post on the south west corner of Spring and Middle Streets and running west one hundred and twenty (120) feet. This to be the south line of Street. Said Street to be thirty three (33) feet wide.

Vol. 13
Page 95

ADDITION TO SPRING STREET AND PLEASANT AVENUE SOUTH.

Beginning at the westerly terminus of the layout of Spring Street as laid out and accepted by the City, October 7th, 1903 (City Records Book 13, Page 95) at an iron pipe driven into the ground on the southerly line of said Spring Street standing 9.21 feet distant northerly from the Northeast corner of house numbered 50 Spring Street also 22.95 feet distant easterly from the Northwest corner of said house; thence running north 81 degrees west 130.90 feet to an iron pipe driven into the ground on land of Peter E. Lebel and standing 76.85 feet distant southerly from the southeast corner of the dwelling house of said Lebel; thence turning and running North 24 degrees and 59 minutes east 238.65 feet to an iron pipe driven into the ground in or near the southerly line of Pleasant Avenue at a point standing 47.05 feet distant southerly from the southwest corner of the dwelling house of L. Bean No. 4 Pleasant Avenue also 76.00 feet distant westerly from the northwest corner of the residence of S.W. Orrs.

Book 19
Page 456
Aug. 5, 1931

The described line to form the southerly and westerly line of a street to be thirty-three (33.00) feet in width and to lay over land reserved for this purpose, land of Peter E. Lebel, Alice M. Blake and S. W. Orrs.

That portion adjoining the first described line to be known as Spring Street. That portion adjoining the last described line to be known as Pleasant Avenue (South.)

Recorded in Book 19, Page 456, Aug. 5th, 1931.

STREET

Beginning on the West side of High Street at a stake one rod South of the North East corner of land belonging to Louis Evrard, thence North 72° (seventy-two) degrees 10 minutes west by compass, and parallel to the north line of said Evrards land, to the East line of James Mathews land--Said road to be two rods wide on the north side of the above line and course and running over land of Louis Evrard and Charles Russell half each.

Book A
Page 526

STREET THRU WINNEGANCE VILLAGE

Copy of laying out by West Bath in 1852.

We the undersigned Selectmen of West Bath on the petition of Joseph Hunt & others legal voters in said town and after giving legal notice conformable to the Statutes of this State, to all persons interested, met at the time and place according to said notice and have this day located a town road for the use of said Town as follows, to wit: Beginning in said Town at a bolt in the ledge on the south side of Winnegance Bridge at about high water mark, thence North 87 degrees west 7 rods and 12 links to a stake, thence North 61½ degrees west 3½ rods to stake, thence North 28½ degrees West 7 Rods and 10 links, thence north 10 West 7 Rods and 4 links to a stake at Francis Oliver's land--Thence North 30 degrees East 10 Rods 23 links to stake--thence North 41½ East 14 rods to South East corner of Bates front wall fence, thence North 48 East 11 Rods 2 links to a stake--thence North 44½ East 23 rods 19 links to a stake at Hunt's gate.

Book

Thence North 35 degrees East 16 Rods 21 links to stake two rods west of wall on East side of Road--thence North $31\frac{1}{4}$ degrees east 35 R. and 5 L. to stake., thence North $23\frac{1}{4}$ degrees east 8 R. 15 Links to North side of Bennett's well--thence North $21\frac{1}{4}$ East 15 rods 20 links to stake--thence north 25 East 66 Rods 20 links to North line of McCutchin's land--thence North 17 East 18 rods to stake and stone--thence North 4 East 9 Rods to stake & Stones--thence North 15 East 21 Rods 13 links to stake and stones at the north line of said Town and two rods west of the wall on East side of said road--Said road to be two rods wide on the Northerly and Easterly side of said line and courses. And we have awarded damages by reason thereof as follows to Thomas Oliver \$25.00 to Luther Stover \$8.00 to Martin Bates \$18.00 and we do not consider that any other persons are injured in their property by reason of said location: all if which is respectfully submitted.

West Bath, July 26, 1852

Alden Winter Selectmen of
 Heuben S. Hunt West Bath

A true copy of the report of the Selectmen of West Bath Oct. 8th. 1853.

Attest: Annie R. Mitchell, City Clerk of Bath.

To Bath Rd.

STREET FROM BRUNSWICK ROAD TO WHISKEAG

Beginning on the north erly side of the Brunswick Road at the northwest corner of Henry N. Lemont's land, running north eleven degrees east (magnetic) one hundred and sixty four rods and six links to a point two and one half rods east of the center of a tall pine tree on the line between land of J. & C. Sewall's land of George Jewett, thence north four degrees and twenty five minutes east one hundred and fifty three rods and nineteen links to Whiskeag Street passing two and one half rods easterly from the stone monument which makes the second angle of said whiskeag Street from the bridge, the said street to be two and one half rods wide on the westerly side of the above line.

Vol. 4
 Page 255
 Feb. 5, 1868

SUMMERSET STREET

Begins at a stone ^{m.} on the East line of Washington Street and runs S. $88^{\circ} 20'$ E. 13 R. 7 L. to a bolt in the ledge, passing 30 feet northerly of a hole in ledge at the ^{m.} W. corner of William F. Rigg's land, --said street to be 30 feet wide on the south side of the above line.

Book A
 Page 516

SUMMER STREET

Begins on the west side of Front Street 10 feet 10 inches northerly from the ^{m.} E. corner of the Kennebec House and runs S. $87\frac{1}{2}^{\circ}$ W. 28 R. 14 L. passing two rods woutherly from a hole in ledge, at the ^{m.} W. corner of the lot on which stands the old Post Office Building to the East line of Washington Street, in range of hole in ledge near the N.W. Corner of R. R. Smith's lot, which hole is $4\frac{1}{2}$ (four and one half) feet west of the East line of Washington Street.

Book A
 Page 516

Said street to be 2 rods wide on the north side of the above line.

SPRUCE STREET

(Originally part of Tarbox Street Extension)

Starting at a point on the south side of Tarbox Street Extension, said point being on the North-West corner of Lot #7 on the Corliss Plan and 55'-4" North-east of the North-east corner of the brick foundation of James Noel's House; thence running South 16 West at an angle of $109^{\circ} 55'$ with the south line of said Tarbox Street Extension a distance of 109 feet to a drillhole in the ledge; thence South $25^{\circ} 30'$ West deflection angle right $9^{\circ} 30'$ for a distance of 6 feet 6 inches to a drillhole in a boulder; thence South 67° West deflection angle right $40^{\circ} 30'$ a distance of 90 feet 4 inches to a drillhole in a ledge located 38 feet 8 inches North of the North-West corner of Eugene Dauphin's house; thence South $62^{\circ} 30'$ West Deflection angle left $4^{\circ} 10'$ a distance of 64 feet 8 inches to an iron bolt on the west line of said Dauphin's lot, said bolt being 58 feet West of the North-west dornor of said Dauphin's house; thence South $17^{\circ} 30'$ west deflection angle left 45° a distance of 130 feet, said

Vol. 23
 Page 166
 10/1/47

114
line passing 3 feet 10 inches west of and parallel to Eugene Dauphin's garage and extending to the property of C. Harold Holbrook. Said street to be 25 feet wide on the westerly side of the above described line.

SHEMANDOAH ROAD

Book 24
page 33
(11/7/51)

Beginning on the west side of the Brunswick Road one hundred and fourteen (114) feet northwesterly from the northeast corner of the Sewall estate; thence south 66° west keeping a distance of one hundred and fourteen (114) feet northerly and parallel to said Sewall's northerline one hundred and forty-five (145) feet.

Said street to be twenty-two (22) feet wide on the north side of the above line.

SUMMER STREET EXTENSION

Book 24
page 216
(4/1/53)

Beginning at a point 1'-6" from the N. W. corner of the property located at 191 Front Street, S. E. corner of Front and Summer Streets, thence running $S86^{\circ} 30'$ East, a distance of 179'-0" to west line of Commercial Street. Said street to be 32'-0" wide."

SHERIDAN ROAD

Book 24
pages 584-5
(8/1/56)

Beginning at a point in the westerly right of way line of Lincoln Street at an iron pipe in the ground at the southeast corner of the land now or formerly of Lera D. Burns and bearing $S 27^{\circ} 35' E$ a distance of two hundred eighty-nine and twenty-seven hundredths (289.27) feet from an iron pipe in the ground at the intersection of the southerly right of way line of Bedford Road and the westerly right of way line of Lincoln Street; thence $N 86^{\circ} 59' W$ a distance of six hundred fifty-two (652) feet to an iron pipe in the ground at the southwest corner of the lot now or formerly of James E. Taggart.

The above described line is the northerly right of way line of Sheridan Road and the road is fifty (50) feet wide.

SOUTH STREET

(Discontinuance of Portion of)

Book 25
page 26
(12/5/56)

Beginning on the easterly side of Washington Street and running easterly a distance of approximately one hundred ninety-five (195') feet to the westerly property line of the Bath Iron Works Corporation.

SHERIDAN ROAD EXTENSION

Beginning at an iron pipe at the northwest corner of Sheridan Road as it now exists which is the southwest corner of the property now or formerly of Albert F. Austin; thence $N 86^{\circ} 59' W$ a distance of eighty-five (85') feet along the southerly line of the property now or formerly of Arthur H. Haskins to a stake in the southerly line of the property of said Haskins.

The above described line is the northerly right of way line of the extension to Sheridan Road and the road is fifty (50') feet wide.

SEEKINS DRIVE

Minutes Book
of 10/4/67 -
1/13/71

On motion of Councilman Hooker and seconded by Councilman Cummings, it was voted to re-name so called Clark Circle as Seekins Drive.

Voted on 3/5/69

See 86
7-9-86

SCHOONER LANE

Accepted
7/19/1978

See Plan on file in Street Drawer (Clerk's Office)

TALLMAN STREET

Beginning at a stake driven into the ground at the Northerly terminus of the westerly side line of Bailey Street and running thence Northerly with the westerly side line of said Bailey Street 40 feet to an iron pipe driven into the ground, said iron pipe standing 18.70 feet southerly from the southwest corner of Oliver Carter's dwelling house and 24.56 feet from the south east corner of said Carter's house, thence deflecting to the right 89 degrees and 34 Minutes and running South $83\frac{1}{2}$ degrees East 265.10 feet to an iron bolt driven into the ground in the Easterly side line of Fitts Street (so-called) and passing 13.2 feet southerly from the South East corner of house numbered 18, also 40 feet northerly from an iron bolt standing at the junction of the Westerly side line of Fitts Street with a line of iron fence posts. Thence southerly with the easterly line of Fitts Street about 40 feet. The second described line to form the northerly boundry of the location and the street to be 40 feet in width and extending from the extension of the westerly side line of Bailey Street to the Easterly line of Fitts Street.

Vol. 15
Page 417
Dec. 3rd, 1913

TARBOX STREET EXTENSION

Beginning at a point on or near the westerly side line of High Street and running thence north 84 degrees and 50 minutes west, a distance of 217.28 feet to a point is the south easterly corner of land now owned by L. Pinkham. Said line if produced easterly to the easterly side line of High Street and measurements taken along same will be 86.0 feet from the north east corner of a stone monument on the north side of Pine Street and will also pass 27.3 southerly from the south east corner board of house owned by John Miller, also 35.5 feet northerly from the north east corner board of house owned by C.M. Oliver, also 7.5 feet southerly from south east corner board of house owned by Freeman Murray. Said line makes an angle with the easterly side line of said Pinkham's lot of 86 degrees and 45 minutes.

Vol. 14
Page 380
Oct. 6, 1909

Said above described line to be the northerly side of a 33 foot street over land reserved for this purpose.

EXTENSION OF TARBOX STREET

Beginning at a point on the Southerly line of Tarbox Street, at the northwest corner of house lot now or formerly owned by W.H. Sanford, said point of beginning being 70.00 feet Westerly from the West line of High Street as indicated on a plan by Charles A. Corliss dated 1891.

Thence running south 4 degrees and 30 minutes west with the west line of said Sanford lot 137.41 feet to a drill hole in ledge at the Northwest corner of lot numbered 1. Thence with the Westerly line of lot numbered 1, South 47 degrees and 40 minutes West 71.30 feet to a point at the Northwest corner of lot numbered 7.

Thence South 85 degrees and 2 Minutes West crossing a proposed street and with the Northerly line of lot numbered 8, 112.93 feet to an iron set into the ledge at the Northwest corner of lot No. 8, Thence South 75 degrees and 4 minutes West 69.96 feet to a drill hole in ledge.

The layout to this point follows, the lines as indicated on the Corliss plan as above referred to.

Thence running North 86 degrees and 14 minutes West, passing 27.19 feet distant Northerly from the Northwest corner of house numbered 16, 220.00 feet to a point near the foot of the hill.

The above described line to form the Easterly and Southerly line of a street to be 33 feet in width and the westerly line is to be extended Northerly to intersect the Southerly line of Tarbox St., as previously laid out.

Vol. 17
Page 257
Aug. 11, 1920

TRUFANT STREET

Begins at a stone M. on the East side of Washington Street 12 R. 4 L. from the hole in ledge at Kennison's--thence 29° E. 18 R. 6 L. to a stone M.--Then (Angle $2^{\circ} 12'$) N. $31^{\circ} 12'$ E. 8 R. 21 L. to a stone M.--to be two rods wide on the West side of the above line.

Book A
Page 513

*Turner Ct. - Book 4, Page 325
(85/68)*

TURNER COURT

From Horace Litchfield's Dwelling house Northerly to Edward Street.
Layout of August 5, 1868.
City Records, Book 4, Page 325.

"Beginning at a stake standing East seven and a half feet from the North East corner of Horace Litchfield's dwelling house - Thence Northerly to a Stone Monument standing five feet three inches east of the south east corner of Edward Haggett's dwelling house - thence northerly a course that will run to the bolt at the south east corner of land occupied by the heirs of John DeWolf to Edward Street.

The Street to be two rods wide."

UNION STREET

Begins at a stone M. at the West side of Water Street, and runs N. $85^{\circ} 40'$ W. 14 R. 10 L. to a stone M. on the West side of Washington Street--then (Angle 1°) S. $86^{\circ} 40'$ W. 28 R. 22 L. to a stone M. at the east side of Middle Street.

Book A
Page 519

Said street to be two rods wide on the South side of the above line.

UNION STREET

Commencing on the West side of Middle Street at a stake standing two feet South of the North East corner of Mary Stearn's land, thence Westerly to the North West corner of land of Charles Chadbourne on High Street, The said line and course to be the South line of said Street; The Street to be thirty three feet wide.

Vol . 5
Oct.1, 1873
See also
June 6,1866

UNION STREET COURT

Beginning at a point in the northerly line of Union Street, which point is 87.0 feet easterly from the northeast corner of the intersection of Union Street and Old South Place, and is the southwest corner of the street herein described; thence, running south $80^{\circ} 40'$ east for 25.06 feet along the northerly line of Union Street to a point; then e, deflecting left $86^{\circ} 5'$ and running north $13^{\circ} 15'$ east for 151.1 feet to a point of tangency; thence, deflecting to the left $255^{\circ} 32'$ on a radius of 20 feet through an arc of 89.2 feet to a point of intersection; thence, deflecting $75^{\circ} 32'$ right and running south $13^{\circ} 15'$ west for 133.5 feet to the point of beginning. The street described is 25 feet in width with a turn-around of 20 feet radius at the northern extremity.

Union Street
Court
Book 24,
Page 375
(7/7/54)

UNION STREET

Discontinuance of portion of Union Street west of Washington Street to Water Street. ^{east?}

Union Street
Discontinue
portion of
6/21/60

VINE STREET

Begins at the N.W. corner of King's Yellow Store , and runs N. 76° 50' W. 15 R. 10 L. to a cut on the South side of Red Oak Tree, on the east line of Front Street--then (Angle 2° 40') S. 74° 35' W. 37 R. 20 L. to a stone M. at the East line of Washington Street.

Said Street to be two rods wide on the south side of the above line.

Book A.
Page 518

PORTION OF VINE STREET DISCONTINUED

See plan on file in Street Drawer in City Clerk's Office

8/3/83